

Publications

- 1) Исследование реакций $^{19}\text{F}(\text{n})^{18}\text{O}$, $^{31}\text{P}(\text{n})^{30}\text{Si}$ при энергии нейтронов 14.1 МэВ Г.Е.Велохов, А.Н.Прокофьев, С.В.Стародубцев, Доклады АН СССР, т.127 (1959).
- 2) Реакция захвата на ядрах ^{19}F , ^{31}P , ^{32}S . Г.Е.Велохов, А.Н.Прокофьев, С.В.Стародубцев, ЖЭТФ, 39 (1960).
- 3) Метод идентификации заряженных частиц из реакций с быстрыми нейтронами. Г.Е.Велохов, А.Н.Прокофьев, С.В.Стародубцев.Известия АН Узбекской ССР, №3 (1960).
- 4) Исследование реакций захвата на легких ядрах при энергии нейтронов 14.1 МэВ. Г.Е.Велохов, А.Н.Прокофьев, С.В.Стародубцев. Труды Ташкентской конференции по мирному использованию атомной энергии т.4(1960).
- 5.) Рассеяние нейтрона на нейтроне. Г.Е.Велохов, А.Н.Прокофьев, Известия АН СССР т.XXVI, (1961)/
- 6) Получение больших потоков нейтронов с энергиями 2.5 МэВ и 14.1 МэВ. Г.Е.Велохов, А.Н.Прокофьев, ПТЭ №4 (1964).
- 7) Взаимодействие нейтронов с энергией 14.1 МэВ с тритием. Г.Е.Велохов, А.Н.Прокофьев, Ядерная физика, т.1 (1965).
- 8) Поляризованный протонный мишень для исследования нуклон-нуклонных взаимодействий при высоких энергиях. А.И.Ковалев, А.П.Комар, А.Н.Прокофьев, Г.М.Шкляревский, Препринт ФТИ-123 (1968).
- 9) Метод измерения поляризации водородной ориентированной мишени. А.И.Ковалев, А.П.Комар, А.Н.Прокофьев, Г.М.Шкляревский. Препринт ФТИ-178 (1969).
- 10) Исследование длины рассеяния нейтрона на нейтроне в реакции $\text{D}(\text{n})\text{p}$. А.Н.Прокофьев, С.А.Илюшин, Г.У.Шкляревский. Препринт ФТИ-179 (1969). Кандидатская диссертация, ФТИ (1970)
- 11) Определение длины рассеяния нейтрона на нейтроне в реакции $\text{D}(\text{n})\text{p}$. А.Н.Прокофьев, Г.Е.Шкляревский, Ядерная физика, т.11 (1970).
- 12) New method for measuring the polarization of a hydrogen target. (In Russian) A.I. Kovalev, A.P. Komar, L.B. Parfenov, A.N. Prokofev, G.M. Shklyarevskii . 1970. Published in Zh.Tekh.Fiz.40:2242-2247,1970.
- 13) Proportional Chamber With Delay Line Readout. (In Russian) V.E. Popov, A.N. Prokofev (St. Petersburg, INP) . LENINGRAD-75-160, Jun 1975. 21pp.
- 14) Polarized Proton Target. (In Russian) A.I. Kovalev, A.N. Prokofev, G.M. Shklyarevsky (St. Petersburg, INP) . LENINGRAD-75-168, Jul 1975. 37pp.

- 15) **Study Of Proportional Chambers With Analog Data Readout. (Talk, In Russian).** V.E. Popov, A.N. Prokofev (St. Petersburg, INP) . 1978. In *Dubna 1978, Proceedings, Proportional and Drift Chambers*, 265-268.
- 16) **Measurement Of The Polarization Parameter P In Pi- P Elastic Scattering In The Energy Range 450-Mev - 600-Mev.** V.S. Bekrenev et al. LENINGRAD-79-466, Mar 1979. 23pp. Published in Sov.J.Nucl.Phys.31:92,1980, Nucl.Phys.A364:515-526,1981, Yad.Fiz.31:173-180,1980.
- 17) **THE WOLFENSTEIN PARAMETER 'A' IN p p SCATTERING AT 0.97-GeV. (In Russian)** V.G. Vovchenko et al. LENINGRAD-79-517, Sep 1979. 29pp. Submitted to Yadernaya Fiz.
- 18) **MEASUREMENT OF POLARIZATION PARAMETER P IN ELASTIC PI- P SCATTERING FOR ENERGIES OF 490-MeV AND 600-MeV. (IN RUSSIAN).** V.S. Bekrenev et al. 1980. Published in Pisma Zh.Eksp.Teor.Fiz.31:197-201,1980.
- 19) **Measurement Of The Polarization Rotation Coefficient A In The P P Scattering At 970-Mev. (In Russian).** V.G. Vovchenko et al. 1980. Published in Yad.Fiz.32:164-173,1980.
- 20) **Measurement Of The Polarization Parameter P In Pi- P Elastic Scattering In The Energy Range 450-Mev - 600-Mev. (Talk).** V.S. Bekrenev et al. 1980. In *Lausanne 1980, Proceedings, High-energy Physics With Polarized Beams and Polarized Targets*, 522-524.
- 21) **ENERGY DEPENDENCE OF THE SPIN SPIN CORRELATION PARAMETER Cnn IN PROTON PROTON ELASTIC SCATTERING AT 690-MeV TO 950-MeV. (In Russian)** N.S. Borisov et al. LENINGRAD-80-553, Feb 1980. 14pp.
- 22) **Multipurpose Polarized Proton Beam On Lnp1 Synchrocyclotron. (In Russian)** V.G. Vovchenko, A.A. Zhdanov, V.M. Zheleznyakov, E.I. Malyutenkov, V.V. Polyakov, V.E. Popov, A.N. Prokofev, O.Ya. Fedorov, A.V. Shvedchikov (St. Petersburg, INP) . LENINGRAD-80-576, May 1980. 18pp.
- 23) **ENERGY DEPENDENCE OF SPIN SPIN CORRELATION PARAMETER Cnn IN 50-degrees AND 90-degrees center-of-mass p p ELASTIC SCATTERING IN THE ENERGY RANGE 0.69-GeV TO 0.95-GeV.** N.S. Borisov et al. LENINGRAD-80-581, Jun 1980. 12pp. Published in Lausanne Sympos.1980:519 (QCD161:S921:1980)
- 24) **Measurement Of The R Parameter In P P Scattering At 0.97-Gev And Analysis Of Experimental Results On Triple Scattering. (In Russian).** V.G. Vovchenko, V.A. Efimovskykh, A.A. Zhdanov, V.V. Polyakov, V.E. Popov, A.N. Prokofev, O.Ya. Fedorov, A.V. Shvedchikov (St. Petersburg, INP) . 1981. Published in Yad.Fiz.33:1551-1561,1981.
- 25) **Measurement Of Polarization Parameter P In Elastic Pi+ P Scattering In The Energy Range 500-Mev - 600-Mev. (In Russian).** V.S. Bekrenev et al. 1981. Published in Pisma Zh.Eksp.Teor.Fiz.34:152-155,1981.
- 26) **Angular Dependence Of The Parameter Of Spin Correlation A(00nn) And Of Asymmetry A(000n) In P P Scattering At An Energy Of 950-Mev. (In Russian).** N.S. Borisov et al. 1981. Published in Pisma Zh.Eksp.Teor.Fiz.34:137-140,1981.

- 27) Investigation Of The Energy Dependence Of The Spin Spin Correlation In The Diproton Resonance Region.** N.S. Borisov et al. 1981. Published in Sov.Phys.JETP 54:841-847,1981, Zh.Eksp.Teor.Fiz.81:1583-1596,1981.
- 28) PHASE SHIFT ANALYSIS OF p p SCATTERING IN THE 630-Mev - 950-MeV ENERGY RANGE. (In Russian)** V.G. Vovchenko, M.Yu. Kazarinov, Yu.M. Kazarinov, A.N. Prokofev, J. Strachota (Dubna, JINR) . JINR-P1-82-223, Mar 1982. 20pp. Published in Sov.J.Nucl.Phys.37:90,1983, Yad.Fiz.37:158-166,1983.
- 29) Measurement Of The Polarization Parameter P In Pi+ P Elastic Scattering In The Region Of Low Lying Pion - Nucleon Resonances.** V.v. Abaev et al. 1983. Published in Z.Phys.A311:217-223,1983.
- 30) Fast Proportional Chambers With Delay Line Readout. (In Russian)** N.F. Bondar, V.A. Efimovskykh, V.E. Popov, A.N. Prokofev (St. Petersburg, INP) . LENINGRAD-85-1035, Mar 1985. 40pp.
- 31) Polarization Parameters P(Theta) And C(Nn)(Theta) In The Elastic P P Scattering At The Energy 890-Mev. (In Russian).** V.G. Vovchenko et al. 1986. In *Protvino 1984, Proceedings, High Energy Spin Physics*, 84-89.
- 32) Angular Dependence Of The Polarization Correlation Parameter A(00nn) And The Asymmetry Parameter A(000n) In Elastic Proton Proton Scattering At 690-Mev - 950-Mev.** V.G. Vovchenko et al. 1986. Published in JETP Lett.44:151-154,1986, Pisma Zh.Eksp.Teor.Fiz.44:119-121,1986.
- 33) Analysis of the energy dependence of p p scattering polarization parameters in the energy range 0.8-GeV to 1-GeV.** V.G. Vovchenko, V.A. Efimovskykh, A.A. Zhdanov, Yu.M. Kazarinov, V.V. Polyakov, V.E. Popov, A.N. Prokofev, O.Ya. Fedorov (St. Petersburg, INP) . 1986. In *Protvino 1986, Proceedings, High energy spin physics, vol. 2* 102-104.
- 34) The Polarized Target With A Horizontal Spin Orientation. (In Russian)** E.I. Bunyatova et al. LENINGRAD-86-1191, May 1986. 18pp.
- 35) EXPERIMENTAL SETUP FOR SPIN SPIN CORRELATION MEASUREMENTS IN THE ELASTIC p p SCATTERING. (In Russian)** N.S. Borisov et al. LENINGRAD-86-1210, Jul 1986. 37pp.
- 36) Measurement Of The Polarization Parameter M(S'okn) In P P Scattering At 950-Mev.** N.A. Bazhanov et al. 1988. Published in JETP Lett.47:515-518,1988, Pisma Zh.Eksp.Teor.Fiz.47:435-437,1988.
- 37) Measurement of polarization parameters and analysis of elastic p p scattering in the 1-GeV region. (In Russian).** V.G. Vovchenko, V.A. Efimovskykh, A.A. Zhdanov, A.I. Kovalev, V.B. Polyakov, V.E. Popov, A.N. Prokofev, O.Ya. Fedorov, A.V. Shvedchikov (St. Petersburg, INP) , Yu.M. Kazarinov (Dubna, JINR) . 1989. Prepared for 3rd International Symposium on Pion-Nucleon and Nucleon-Nucleon Physics (N/NN-89), Gatchina, USSR, 17-22 Apr 1989. In *Gatchina/Leningrad 1989, Pion nucleon and nucleon nucleon physics, vol. 2* 13-27.
- 38) Elastic p p scattering in energy range 800-MeV to 1000-MeV. (In Russian).** V.G. Vovchenko, O.G. Grebenyuk, V.A. Efimovskykh, V.E. Popov, A.N. Prokofev, O.Ya. Fedorov (St. Petersburg, INP) , A.N. Bizyukov, Yu.M. Kazarinov (Dubna, JINR) . 1989. Prepared for 3rd

International Symposium on Pion-Nucleon and Nucleon-Nucleon Physics (N/NN-89), Gatchina, USSR, 17-22 Apr 1989. In *Gatchina/Leningrad 1989, Pion nucleon and nucleon nucleon physics, vol. 2* 67-74.

39) **Polarization parameters A(000n) and A(00nn) in elastic proton proton scattering in the energy region 690-MeV to 890-MeV.** V.G. Vovchenko et al. 1989. Published in Sov.J.Nucl.Phys.49:446-453,1989, Yad.Fiz.49:720-731,1989.

40) **Vector analyzing power iT(11) in the pi+ d ---> p p reaction in the energy region 350-MeV to 450-MeV.** N.A. Bazhanov et al. 1991. Published in JETP Lett.54:551-554,1991, Pisma Zh.Eksp.Teor.Fiz.54:549-552,1991.

41) **Vector analyzing power iT(11) in the pi+ d ---> p p reaction in the energy region 350-MeV to 450-MeV.** N.A. Bazhanov et al. 1991. Published in Phys.Rev.C47:395-398,1993.

42) **Vector analyzing power measurement of pion scattering from polarized Li-7 in the region of the Delta (33) resonance.** R. Meier et al. 1994. Published in Phys.Rev.C49:320-323,1994.

43) **The Movable polarized target as a basic equipment for high-energy spin physics experiments at the JINR Dubna accelerator complex.** F. Lehar et al. 1995. Published in Nucl.Instrum.Meth.A356:58-61,1995.

44) **Polarization observables in pi d (polarized) elastic scattering: Analyzing powers tau (22) and iT (11) in the forward hemisphere.** M. Wessler et al. 1995. Published in Phys.Rev.C51:2575-2583,1995.

45) **Vector analyzing power iT(11) in the deuteron breakup reaction pi+ d ---> p p at 350-MeV to 450-MeV.** A.N. Prokofev et al. 1995. Published in Phys.Atom.Nucl.58:1640-1649,1995, Yad.Fiz.58:1740-1749,1995.

46) **Measurements of the n (polarized) p (polarized) total cross-section differences for pure helicity states at 1.2-GeV, 2.5-GeV and 3.66-GeV.** V.I. Sharov et al. 1996. Hardcopy at DESY. Dubna JINR - 3(77)-96 (96/06,rec.Nov.) 13-22.

47) **Measurement of the total cross-section difference Delta(sigma-L) in n p transmission at 1.19-GeV, 2.49-GeV and 3.65-GeV.** F. Lehar et al. DAPNIA-SPP-96-03, Jan 1996. 23pp. Published in Z.Phys.C71:65-74,1996.

48) **Study of polarization in quasielastic Li-6(p,2p)He-5 reaction in complete kinematics at 1-GeV.** N.P. Aleshin et al. Sep 1996. Prepared for 12th International Symposium on High-energy Spin Physics (SPIN 96), Amsterdam, Netherlands, 10-14 Sep 1996. Published in *Amsterdam 1996, Spin 96* 510-512

49) **Angular dependence of p p spin correlation and rescattering observables between 1.80-GeV and 2.10-GeV.** C.E. Allgower et al. ANL-HEP-CP-99-39, 1997. 7pp. Prepared for 7th Workshop on High-Energy Spin Physics (SPIN 97), Dubna, Russia, 7-12 Jul 1997.

50) **A polarimeter for medium-energy deuteron beam.** L.S. Azhgirei, N.M. Piskunov, G.D. Stoletov (Dubna, JINR) , V.V. Vikhrov, A.A. Zhdanov, A.N. Prokofev (St. Petersburg, INP) , F. Lehar (DAPNIA, Saclay) . 1997. Published in Instrum.Exp.Tech.40:43-46,1997.

- 51) **Dependence of proton beam polarization on ion source transition configurations.** C.E. Allgower et al. ANL-HEP-PR-97-19, (Received Jul 1997). 22pp. Published in Nucl.Instrum.Meth.A399:171-179,1997.
- 52) **Nucleon nucleon program at Saturne II. III: E-225.** C.E. Allgower et al. SATURNE-BULL-21E, Nov 1997. 11pp. Hardcopy at DESY.
- 53) **The SPES4 pi project.** By SPES4 pi Collaboration (R. Dahl et al.). SATURNE-BULL-21I, Nov 1997. 6pp. Hardcopy at DESY.
- 54) **Angular dependence of p p spin correlation and rescattering observables between 1.80-GeV and 2.10-GeV.** C.E. Allgower et al. ANL-HEP-PR-98-15, 1998. Published in Eur.Phys.J.C1:131-138,1998.
- 55) **Direct reconstruction of isosinglet amplitudes for nucleon nucleon elastic scattering.** J. Ball et al. 1998. Published in Eur.Phys.J.C5:57-61,1998.
- 56) **The p p elastic scattering analyzing power measured with the polarized beam and the unpolarized target between 1.98-GeV and 2.80-GeV.** C.E. Allgower et al. 1998. Published in Nucl.Phys.A637:231-242,1998.
- 57) **Dependence of deuteron vector-polarization on ion source transition configurations.** P.Y. Beauvais, P.A. Chamouard, F. Lehar (DAPNIA, Saclay) , A.N. Prokofev (St. Petersburg, INP) . 1998. Published in Nucl.Instrum.Meth.A413:193-200,1998.
- 58) **p p elastic scattering polarization transfer K(onso) and depolarization D(onon) between 1.94-GeV and 2.80-GeV.** C.E. Allgower et al. ANL-HEP-PR-99-36, Mar 1998. 8pp. Published in Eur.Phys.J.C5:453-460,1998.
- 59) **Study of Delta and Roper resonances excitation in light nuclei induced reactions.** E.A. Strokovsky et al. 1999. Given at 16th European Conference on Few-Body Problems in Physics (FB 98), Autrans, Grenoble, France, 1-6 Jun 1998. Published in Few Body Syst.Suppl.10:495-498,1999.
- 60) **Elastic and quasielastic p p scattering in LiH-6 and LiD-6 targets between 1.1-GeV and 2.4-GeV.** J. Ball et al. ANL-HEP-PR-99-37, 1999. 40pp. Published in Eur.Phys.J.C11:51-67,1999.
- 61) **Quasielastic p n scattering in LiD-6 and LiH-6 targets from 1.1-GeV to 2.4-GeV.** A. de Lesquen et al. ANL-HEP-PR-99-38, 1999. 27pp. Published in Eur.Phys.J.C11:69-78,1999.
- 62) **Polarimetry of the polarized proton and deuteron beams at intermediate energies.** A.N. Prokofev et al. 1999. 8pp. Prepared for International Workshop on Symmetry and Spin (PRAHA98), Prague, Czech Republic, 30 Aug - 5 Sep 1998. Published in Czech.J.Phys.49S2:29-36,1999.
- 63) **Angular dependence of the p p elastic scattering analyzing power between 0.8-GeV and 2.8-GeV. I.** C.E. Allgower et al. ANL-HEP-PR-99-66, May 1999. 80pp. Hardcopy at DESY.
- 64) **Angular dependence of the pp elastic-scattering analyzing power between 0.8 and 2.8 GeV. II. Results for higher energies.** C.E. Allgower et al. 1999. 14pp. Published in Phys.Rev.C60:054002,1999.

- 65) **Angular dependence of the p p elastic scattering analyzing power between 0.8-GeV and 2.8-GeV. 1. Results for 1.80-GeV to 2.24-GeV.** C.E. Allgower et al. 1999. 23pp. Published in Phys.Rev.C60:054001,1999.
- 66) **Angular dependence of the p p elastic scattering spin correlation parameter A(00nn) between 0.8 and 2.8 GeV: Results for 1.80-GeV to 2.24-GeV.** C.E. Allgower et al. 2000. 11pp. Published in Phys.Rev.C62:064001,2000.
- 67) **Angular dependence of the p p elastic scattering analyzing power between 0.8-GeV and 2.8-GeV. 2.** C.E. Allgower et al. ANL-HEP-PR-99-67, May 1999. 54pp.
- 68) **Measurements of the total cross-section difference Delta sigma(L)(n p) at 1.59-GeV, 1.79-GeV and 2.20-GeV. V.I. Sharov et al. Aug 1999.** 19pp. Published in JINR Rapid Commun.96:5-23,1999, Eur.Phys.J.C13:255-265,2000.
- 69) **Polarization in the quasielastic scattering of 1-GeV/c protons on light nuclei. O.V. Miklukho et al. 2000.** Published in Phys.Atom.Nucl.63:824-833,2000, Yad.Fiz.63:894-903,2000.
- 70) **Measurements of the neutron-proton total cross section difference Delta(sigma(L)(n p)) at 1.59-GeV, 1.79-GeV and 2.20-GeV.** V.I. Sharov et al. 2000. 6pp. Prepared for International Workshop Spin 99, Prague, Czech Republic, 5-11 Sep 1999. Published in Czech.J.Phys.50S1:325-330,2000.
- 71) **New results for the spin-dependent total cross-section difference Delta(sigma(L)(n p)) over the GeV energy region.** V.I. Sharov et al. Jan 2000. Prepared for 5th Workshop on QCD (QCD 2000), Villefranche-sur-Mer, France, 3-7 Jan 2000. Published in *Villefranche-sur-Mer 2000, Quantum chromodynamics* 364-369
- 72) **Exclusive study of the reaction p (alpha, alpha') X in the region of the Roper resonance.** By SPES4-pi Collaboration (G.D. Alkhazov et al.). May 2000. 11pp. Prepared for COSY Workshop on Baryon Excitations, Julich, Germany, 2-3 May 2000. Published in *Juelich 2000, Baryon excitations* 53-63
- 73) **Angular dependence of the pp elastic scattering spin correlation parameter ann-00 between 0.8-GeV and 2.8-GeV. 2.** Results for higher energies. C. E. Allgower et al. Aug 2001. 12pp. Published in Phys.Rev.C64:034003,2001.
- 74) **Measurements of energy behaviour of spin-dependent n p observables over a GeV region: Results and prospects.** V.I. Sharov et al. 2001. Prepared for International Workshop on Symmetries and Spin (Praha Spin 2000), Prague, Czech Republic, 17-22 Jul 2000. Published in Czech.J.Phys.51:A87-A96,2001.
- 75) **Measurement of the tensor analyzing power A(yy) of inelastic p(d,d') scattering in the energy region of Delta and Roper resonances excitation with SPES4-pi at SATURNE-II.** By SPES4-pi Collaboration (L.V. Malinina et al.). JINR-E1-2001-12, Mar 2001. 8pp. Prepared for 15th International Seminar on High Energy Physics Problems: Relativistic Nuclear Physics and Quantum Chromodynamics (ISHEPP 2000), Dubna, Russia, 25-29 Sep 2000.
- 76) **Analyzing powers of inelastic d p scattering in the energy region of Delta and Roper resonances excitation.** By SPES4-pi Collaboration (L.V. Malinina et al.). JINR-E1-2001-36, Mar 2001. 21pp. Published in Phys.Rev.C64:064001,2001.

- 77) **Study of nuclear medium effect on hadrons in nuclei by nucleon quasifree scattering.** T. Noro et al. Jul 2001. Prepared for International Nuclear Physics Conference (INPC 2001): Nuclear Physics and the 21st Century, Berkeley, California, 30 Jul - 3 Aug 2001. Published in *Berkeley 2001, Nuclear physics in the 21st century* 1034-1038
- 78) **New results of Delta(sigma(L)(n p)) at high energies.** V.I. Sharov et al. 2002. Prepared for Advanced Study Institute on Symmetries and Spin (PRAHA SPIN 2001), Prague, Czech Republic, 15-28 Jul 2001. Published in Czech.J.Phys.52:C287-C291,2002.
- 79) **Study of nuclear medium effects on polarization in (p, 2p) scattering at 1-GeV.** O.V. Miklukho et al. 2002. Prepared for Advanced Study Institute on Symmetries and Spin (PRAHA SPIN 2001), Prague, Czech Republic, 15-28 Jul 2001. Published in Czech.J.Phys.52:C293-C300,2002.
- 80) **Spin transfer parameter K(noon) in p p elastic scattering at 1-GeV in the angular range of 20-40 c. m. degrees.** N.A. Bazhanov et al. 2002. Prepared for Advanced Study Institute on Symmetries and Spin (PRAHA SPIN 2001), Prague, Czech Republic, 15-28 Jul 2001. Published in Czech.J.Phys.52:C301-C308,2002.
- 81) **Измерение поляризационных параметров в упругом pp - рассеянии под малыми углами при энергии 1 ГэВ.** В.А.Андреев и др. Препринт ПИЯФ №2475 (2002).
- 81) **Intermediate-energy polarimeter for the measurement of the deuteron and proton beam polarization at the JINR synchrophasotron.** L.S. Azhgirei, V.P. Ladygin, F. Lehar, A.N. Prokofev, G.D. Stoletov, A.A. Zhdanov, V.N. Zhmyrov (Dubna, JINR & DAPNIA, Saclay & St. Petersburg, INP) . JINR-E13-2002-136, Jun 2002. 14pp. Published in Nucl.Instrum.Meth.A497:340-349,2003.
- 82) **Calibration of the beam polarimeter at the JINR synchrophasotron.** L.S. Azhgirei, A.A. Zhdanov, V.N. Zhmyrov, V.P. Ladygin, F. Lehar, A.N. Prokofev, G.D. Stoletov (Dubna, JINR & St. Petersburg, INP & DAPNIA, Saclay) . Nov 2002. Published in Part.Nucl.Lett.113:51-58,2002.
- 83) **Dubna 'Delta-Sigma' experiment: Results of treatment and analysis of statistics accumulated in 2001 data taking run on energy dependence of Delta(sigma(L)(np)).** V.I. Sharov et al. 2003. 6pp. Prepared for 15th International Spin Physics Symposium (SPIN 2002), Long Island, New York, 9-14 Sep 2002. Published in AIP Conf.Proc.675:563-568,2003. Also in *Upton/Danvers 2002, Spin 2002* 563-568
- 84) **Dubna 'DELTA-SIGMA' experiment. Preliminary results on energy dependence of Delta (sigma(L)(n p)) between 1.2-GeV - 3.7-GeV for 2001 data taking run.** V.I. Sharov et al. 2003. Prepared for Advanced Study Institute on Symmetries and Spin (Praha SPIN 2002), Prague, Czech Republic, 14-27 Jul 2002. Published in Czech.J.Phys.53:B235-B241,2003.
- 85) **Calibration of the beam polarimeter at the JINR synchrophasotron.** L.S. Azhgirei, V.P. Ladygin, G.D. Stoletov, V.N. Zhmyrov (Dubna, JINR) , F. Lehar (DSM, DAPNIA, Saclay) , A.N. Prokofev, A.A. Zhdanov (St. Petersburg, INP) . 2003. Prepared for Advanced Study Institute on Symmetries and Spin (Praha SPIN 2002), Prague, Czech Republic, 14-27 Jul 2002. Published in Czech.J.Phys.53:B425-B428,2003.
- 86) **Polarizations for proton knockout reactions from s(1/2) orbits at 1-GeV.** V.A. Andreev et al. Feb 2004. Published in Phys.Rev.C69:024604,2004.

- 87) **Polarization parameters of elastic p p scattering in the angular range 22.5-degrees - 42.5-degrees at an energy of 1-GeV and partial-wave analysis of data.** V.A. Andreev et al. 2004. 11pp. Published in Phys.Atom.Nucl.67:949-960,2004, Yad.Fiz.67:972-982,2004.
- 88) **Measurement of the n p total cross section difference Delta(sigma(L))(np) at 1.39-GeV, 1.69-GeV, 1.89-GeV and 1.99-GeV.** V.I. Sharov et al. 2004. 12pp. Published in Eur.Phys.J.C37:79-90,2004.
- 89) **Measurements of energy behaviours of spin-dependent neutron proton observables over a GeV region.** V.I. Sharov et al. 2004. Prepared for Advanced Studies Institute on Symmetries and Spin (Spin Praha 2003), Prague, Czech Republic, 12-19 Jul 2003. Published in Czech.J.Phys.54:B173-B178,2004.
- 90) **Measurements of the total cross-section difference Delta(sigma(L)(n p)) at 1.39-GeV, 1.69-GeV, 1.89-GeV and 1.99-GeV.** V.I. Sharov et al. JINR-E1-2004-87, Jun 2004. 25pp. Published in Phys.Atom.Nucl.68:1796-1811,2005, Yad.Fiz.68:1858-1873,2005.
- 91) **SPES4-pi: Installation for exclusive study of nuclear reactions.** G.D. Alkhazov et al. 2005. 22pp. Published in Nucl.Instrum.Meth.A551:290-311,2005.
- 92) **Polarization in Quasielastic (p,2p) Scattering from the 4He Nucleus at 1 GeV.** O.V. Miklukho et al., Preprint PNPI 2614 (2005).
- 93) **SPES-4pi Installation for Exclusive Study of Nuclear Reaction.** G.D.Alkhazov et al., Preprint PNPI 2620 (2005).
- 94) **Measurements of energy behaviours of spin-dependent n p observables over 1.2-GeV - 3.7-GeV energy region.** V.I. Sharov et al. 2005. Prepared for Advanced Studies Institute Conference on Symmetries and Spin (SPIN-Praha-2004), Prague, Czech Republic, 5-10 Jul 2004. Published in Czech.J.Phys.55:A289-A305,2005. Also in *Prague 2004, Symmetries and spin* A289-A305
- 95) **First measurement of the cross-section ratio R(dp)(0) in charge-exchange (n p) reactions on H-2 / D-2 at 0-degrees and T(n) = 1-GeV. Dubna 'DELTA-sigma experiment'.** A.A. Morozov et al. 2005. Prepared for Advanced Studies Institute Conference on Symmetries and Spin (SPIN-Praha-2004), Prague, Czech Republic, 5-10 Jul 2004. Published in Czech.J.Phys.55:A307-314,2005. Also in *Prague 2004, Symmetries and spin* A307-314
- 96) **Polarization in quasielastic (p,2p) scattering on a He-4 nucleus at 1-GeV.** O.V. Miklukho et al. 2006. 8pp. Published in Phys.Atom.Nucl.69:452-459,2006, Yad.Fiz.69:474-481,2006.
- 97) **Polarization in quasi-elastic (p,2p) scattering on a He-4 nucleus at 1-GeV.** O.V. Miklukho, ...A.N. Prokofiev et al., Ядерная физика 69 (2006) 474-481.
- 98) **The ratio R(dp) of the quasi-elastic nd->(nn)p to the elastic np->pn charge exchange differential cross-section over the 0.8-GeV to 2 .0-GeV neutron beam energy interval.** V.I. Sharov,...A.N. Prokofiev et al., Chech.J.Phys. 56 (2006) F117-F134.
- 99) **Two-pion production in alpha-p scattering at 1-GeV/nucleon in the energy region of the P11(1440) Resonance Excitation.** G.D. Alkhazov et al., Preprint PNPI 2714 (2007)

- 100) **The ratio R(dp) of the quasi-elastic $nd \rightarrow (nn)p$ to the elastic $np \rightarrow pn$ charge exchange process yields at 0 degree over 0.55-GeV to 2.0-GeV neutron beam energy region: 1. Energy results.** V.I. Sharov,...A.N. Prokofiev et al, JINR preprint E1-2008-61 (2008)
- 101) **Search for the NN \rightarrow 6q phase transition in the polarization measurements at $T(\text{kin})=1\text{-GeV} - 6\text{-GeV}$.** L.N. Strunov,...A.N. Prokofiev et al., Eur.Phys. J. ST 162 (2008).
- 102) **Two-pion production in alpha-p scattering at 1-GeV/nucleon in the energy region of the Roper resonance excitation.** G.D. Alkhazov, A.N. Prokofiev et al., Phys.Rev. C78 (2008) 025205.
- 103) **Two-pion decay of the P11(1440) resonance excited in alpha-p scattering at 1-Gev/nucleon.** G.D.Alkhazov, A.N.Prokofiev et al., Phys.Atom.Nuclei. 71(2008) 1302-1308.
- 104) **First Precise Measurement Polarization Correlation Parameter C_{nn} in Elastic pp-scattering using Polarized Proton Target and Unpolarized 1 GeV Proton Beam.** O.V. Miklukho et al., Preprint PNPI 2782 (2008)
- 105) **Measurement of the ratio R(dp) of the quasi-elastic $nd \rightarrow p(nn)$ to the elastic $np \rightarrow pn$ charge-exchange process yields at zero proton emission angle over the 0.55—2.0-GeV neutron beam energy region.** V.I.Sharov,...A.N.Prokofiev et al., Eur.Phys.J. A39 (2009) 267-280.
- 106) **Mechanism of Pion Production in alpha – p Scattering at 1 GeV/Nucleon.** G.D.Alkhazov et al., Preprint PNPI 2791 (2009)
- 110) **Investigation of inelastic $^{40}\text{Ca}(p,p')X$ reaction at 1-GeV.** O.V.Miklukho,...A.N.Prokofiev et al., arXiv:1103.6113 (Mar 2011)
- 111) **Mechanism of pion production in alpha-p scattering at 1 GeV/nucleon.** G.D. Alkhazov,...A.N. Prokofiev et al., Phys.Atom Nucl. 75 (2012) 1067-1076.
- 112) **Polarization and spin-correlation parameters in proton knockout reactions from S1/2 orbits at 1-GeV.** O.V.Miklukho,...A.N.Prokofiev et al., arXiv: 1203.4057 (2012).
- 113) **Polarization effects in quasi-elastic ($p,2p$) reaction with nuclear S-shell protons at 1-GeV.** O.V.Miklukho,...A.N.Prokofiev et al., Phys.Atom.Nuclei. 76(2013)871-880.
- 114) **Polarization parameters of the quasi-elastic ($p,2p$) reaction with nuclei at 1-GeV.)** O.V.Miklukho,...A.N.Prokofiev et al., arXiv:1402.0308 (2014).
- 115) **Observation of a polarization structure in the $^{40}\text{Ca}(p,p')X$ reaction at 1-GeV.** O.V.Miklukho,...A.N.Prokofiev et al., JETP Lett. 102(2015) 11- 14